

FIG. 1

APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

2/24




FIG. 2A

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

3/24




FIG. 2B
Step 204 of Fig. 2A

APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

4/24




FIG. 2C
Step 214 of Fig. 2B

APPROVED	O. G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

5/24




FIG. 2D
Step 216 of Fig. 2B

APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

6/24




FIG. 2E

APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

7/24




FIG. 2F

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

8/24




FIG. 2G

9/24




FIG. 2H

APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

10/24




FIG. 21

11/24




FIG. 2J

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

12/24




FIG. 2K

13/24




FIG. 3A




FIG. 3B




FIG. 3C




FIG. 3D




FIG. 3E




FIG. 3F

APPROVED	O. G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

14/24

BEST AVAILABLE COPY




FIG. 4

APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

15/24

MDCK cells treated with Taxol for 4.5 hours




FIG. 5

APPROVED	O. G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

16/24




FIG. 6

APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

17/24

BEST AVAILABLE COPY




FIG. 7

APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

18/24

BEST AVAILABLE COPY




FIG. 8

APPROVED	O. G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

19/24

BEST AVAILABLE COPY




FIG. 9

APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

20/24

BEST AVAILABLE COPY




FIG. 10

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

21/24

BEST AVAILABLE COPY



FIG. 11

APPROVED	O. G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

22/24

BEST AVAILABLE COPY



FIG. 12

APPROVED	O. G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

23/24

Conversion of morphometric parameters into nucleic acid code and clustering of the resulting sequences using Neighbor Joining method.

Compound:	Measurements																			
	Count	Area	Perimeter	Length	Breadth	Fiber length	Fiber breadth	Shape factor	Ell. form factor	Inner radius	Outer radius	Mean radius	Equiv. radius	Equiv. sphere vol.	Equiv. prolate vol.	Equiv. oblate vol.	Equiv. sphere surface area	Average gray value	Total gray value	Optical density
Control	t	t	t	t	t	t	t	t	t	t	t	t	t	t	t	t	t	t	t	t
Taxol	a	t	t	t	t	t	t	t	a	t	t	t	t	t	t	t	t	t	t	t
CD	c	a	a	a	t	a	t	t	c	a	a	a	a	a	a	a	a	t	a	a
Nocodozol	c	t	t	t	t	t	t	t	t	t	t	t	t	t	t	t	t	t	t	t
Staurosporine	g	g	c	a	a	t	a	a	t	g	a	a	a	t	g	g	g	a	a	t
Vinblastine	c	t	t	t	t	t	t	t	t	t	t	t	t	t	t	t	t	g	t	t
Hydroxyurea	g	t	t	t	t	t	t	g	t	t	t	t	t	t	t	t	t	t	c	t




FIG. 13

Conversion of morphometric parameters into amino acid codes and clustering of the resulting sequences using Neighbor Joining method.

	Count	Area	Perimeter	Length	Breadth	Fiber length	Fiber breadth	Shape factor	Ell. form factor	Inner radius	Outer radius	Mean radius	Equiv. radius	Equiv. sphere vol.	Equiv. prolate vol.	Equiv. oblate vol.	Equiv. sphere surface area	Average gray value	Total gray value	Optical density	Radial dispersion	Texture Difference Moment	EFA Harmonic 2, Semi-Major Axis	EFA Harmonic 2, Semi-Minor Axis	EFA Harmonic 2, Semi-Major A
Control	H	P	T	T	N	S	D	W	E	S	T	T	T	F	C	C	P	P	M	C	T	G	T	T	Y
Taxol	G	F	M	M	P	M	P	H	G	S	M	M	W	C	F	P	F	R	C	M	M	H	M	P	S
CD	F	G	G	G	M	G	M	K	A	G	G	G	G	G	G	G	G	H	G	G	G	M	G	V	H
Nocodazol	W	F	M	M	W	M	P	T	R	S	M	M	M	F	M	W	F	M	M	R	M	M	M	F	G
Staurosporine	N	V	A	G	G	M	G	G	Y	V	G	G	G	M	V	V	V	G	G	H	G	M	G	G	V
Vinblastine	F	W	W	M	W	W	C	W	D	S	M	W	W	M	M	M	W	M	V	E	M	M	M	F	P
Hydroxyurea	S	H	H	H	H	H	H	V	H	H	H	H	H	H	H	H	H	H	H	A	H	G	H	H	D




FIG. 14